Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently amended) A method for the generation of <u>a</u> transgenic

 Linum usitatissimum plant plants of the genus Linum comprising:
- (a) introducing into a *Linum usitatissimum* cell a recombinant DNA molecule comprising at least one selectable marker gene-which, wherein said recombinant DNA molecule confers resistance to at least a first antibiotic and to a second antibiotic which is different from said first antibiotic one antibiotic into;
- (b) <u>inducing induction of a transgenic callus from said Linum</u>
 usitatissimum cell the cells of (a); and
- (c) <u>culturing said transgenic callus</u> regeneration of transgenic plants from the induced callus, wherein
- (ii) (d) transferring said transgenic callus the ealli or shoots regenerated therefrom are transferred onto a medium containing [[a]] said second antibiotic which is different from the first antibiotic; and

(e) regenerating a transgenic *Linum usitatissimum* plant from said transgenic callus;

wherein said first antibiotic and said second antibiotic can be used for selecting a transformed plant cell, a transformed callus or a transformed plant.

2-3. (Canceled)

- 4. (Currently amended) The method of any one of claims 1 to 3 claim 1, wherein at least one of said first and second antibiotic are antibiotics is selected from the group consisting of kanamycin, paromycin, neomycin, gentamycin, G-418, streptomycin, spectinomycin and imidazole.
- 5. (Currently amended) The method of any one of claims 1 to 4 claim 1 or 4, wherein said selectable marker gene encodes neomycin phosphotransferase, streptomycin phosphotransferase or aminoglycoside-3-adenyltransferase, or is a gene conferring resistance to imidazole.
- 6. (Currently amended) The method of any one of claims 1 to 5 claim
 4, wherein said first antibiotic is kanamycin and said second antibiotic is G-418.

- 7. (Currently amended) The method of any one of claims 1 to 6 claim 1, 4 or 6, wherein the concentration of said first antibiotic is in the range of 150 to 200 mg/l.
- 8. (Currently amended) The method of any one of claims 1 to 7 claim 1, 4 or 6, wherein the concentration of said second antibiotic 40 to 100 mg/l.
- 9. (Currently amended) The method of any one of claims 1 to 8 claim

 1, wherein said plant cells are Linum usitatissimum cell is comprised in the hypocotyl of plants a Linum usitatissimum plant.
- 10. (Currently amended) The method of claim 9, wherein said plants are

 <u>Linum usitatissimum plant is derived from a synchronized germinating seeds seed.</u>
- 11. (Currently amended) The method of any one of claims 1 to 10 claim

 1, wherein the recombinant DNA molecule is introduced by a method comprising:
 - (a) inoculation with Agrobacterium tumefaciens;
 - (b) particle bombardment; or

- (c) microinjection.
- 12. (Original) The method of claim 11, wherein said inoculation with Agrobacterium tumefaciens is performed in the presence of acetosyringone.
- 13. (Currently amended) The method of any one of claims 1 to 12 claim 1 or 11, wherein said recombinant DNA molecule comprises a binary vector.
- 14. (Currently amended) The method of any one of claims 1 to 13 claim

 1, wherein said medium containing said first antibiotic contains at least 0,05 mg/l 0.05 mg/l auxin and at least 0,002 mg/l 0.002 mg/l cytokinin.
- 15. (Currently amended) The method of claim 14, wherein said auxin is napthalene acetic acid (NAA) NAA.
- 16. (Currently amended) The method of claim 14 or 15, wherein said cytokinin is thidiazuron (TDZ) TDZ and/or benzylaminopurine (BAP) BAP.

- 17. (Currently amended) The method of any one of claims 14 to 16, wherein the concentration of auxin and cytokinin is TDZ (0,002 mg/l) (0.002 mg/l) and NAA (0,05 mg/l) (0.05 mg/l) or BAP (2 mg/l) and NAA (0.1 mg/l).
- 18. (Currently amended) The method of any one of claims 1 to 17 claim

 1, wherein said medium containing said second antibiotic is substantially free of auxins and/or cytokinins.
- 19. (Currently amended) The method of any one of claims 1 to 18 claim

 1, wherein the recombinant DNA molecule further comprises a nucleotide sequence encoding a polypeptide, peptide, antisense RNA, sense RNA, viral RNA or ribozyme.
- 20. (Original) The method of claim 19, wherein said nucleotide sequence is operatively linked to transcription and/or expression control sequences.
- 21. (Currently amended) The method of any one of claims 1 to 20 claim 1, wherein said recombinant DNA molecule comprises at least one further selectable and/or scorable marker gene.

- 22. (Currently amended) Transgenic A transgenic Linum usitatissimum plant eells cell, callus, tissue or a Linum usitatissimum plant obtainable by the method of any one of claims 1 to 21 claim 1 or Linum usitatissimum plant cells, callus, tissue or a Linum usitatissimum plant derived therefrom comprising at least one recombinant DNA molecule.
- 23. (Currently amended) Harvestable parts A harvestable part or propagation material of a plant of claim 22 comprising plant cells of claim 22, wherein said harvestable part or propagation material comprises at least one recombinant DNA molecule.
 - 24. (Canceled).
- 25. (Currently amended) Use of plant cells, plant tissue or plants of claim 22 for plant breeding, for a A method for the identification of chemical and/or biological compounds, for the production of male and/or female sterile Linum usitatissimum plants, disease-resistant Linum usitatissimum plants, Linum usitatissimum plants with modified fiber composition or [[for]] Linum usitatissimum plants that tissue-specifically produce with specific chemical or biological compounds produced tissue specifically comprising the method of claim 1.